


ITEM	DESCRIPTION
N	8" 90° ELBOW P.V.C.
O	8" SPOOL, P.V.C.
P	8" 316 STN. STL. BIRD SCREEN



PIPE AND FITTING SCHEDULE

DESCRIPTION	
A	6" 90° ELBOW FLG, D.I.P.
B	6" SPOOL, FLG. x FLG., S.S.
C	6" 90° ELBOW, FLG. x FLG., S.S.
D	6" FLG. COUPLING ADAPTER
E	6" SPOOL FLG. x PE, D.I.P.
F	6" SWING CHECK VALVE, FLG. x FLG.
G	6" PLUG VALVE, FLG. x FLG.
H	8"x8"x8" TEE, FLG. x FLG. x FLG., D.I.P.
I	6" 45° ELBOW, FLG. x FLG., D.I.P.
J	6" FLG. x MJ x FLG., S.S.
K	6" 90° ELBOW, MJ x MJ W/ MJ RETAINER GLAND
L	8"x8"x8" TEE, FLG. x FLG. x FLG., D.I.P.
M	4" 90° ELBOW FLG., D.I.P.

S.S. - STAINLESS STEEL
DIP - DUCTILE IRON PIPE

NOTE: LIFT STATION DETAILS ARE PROVIDED AS AN EXAMPLE OF THE TYPE OF MATERIAL AND CONSTRUCTION REQUIRED. PROPOSED LIFT STATION MUST BE DESIGNED BY THE PROJECT ENGINEER AND APPROVED BY THE CITY ENGINEER PRIOR TO CONSTRUCTION